



NSK FCRBE-85参数

| | | | | |
|---------|------|----------|-------|--------|
| 极限载荷 | PMAX | 61000 | N | 极限载荷 |
| 滚轮极限载荷 | LTL | 55500 | N | 滚轮极限载荷 |
| 重量 | MASS | 1750 | g | 重量 |
| 六角形孔的尺寸 | X | 17.0 | mm | 双边距离 |
| 偏心轴衬尺寸 | B4 | 31.0 | mm | - |
| | SD1 | 40 | mm | - |
| | E | 1.5 | mm | - |
| 挡肩尺寸 | F | 52.0 | mm | (最小) |
| 拧紧力矩 | TT | 30500 | n. cm | (最大) |
| 型号 | 型号 | FCRBE-85 | | - |
| 外形尺寸 | D | 85 | mm | 外径 |
| | C | 35 | mm | 宽度 |
| | SD | 30 | mm | 外径 |
| 尺寸 | G | M30x1.5 | mm | 螺栓 |
| | G1 | 32 | mm | - |
| | B1 | 100 | mm | - |
| | B2 | 63.0 | mm | - |
| | B3 | 15 | mm | - |
| | M2 | 4 | mm | - |
| | M1 | 8 | mm | - |
| | R | 1.0 | mm | (最小) |
| 基本额定载荷 | CR | 60500 | N | 动载荷 |

NSK FCRBE-85图片





FCRE

参考资料:<http://www.sozhou.com/p/2e0daa90.html>

