


FAG NUP2207-E-TVP2参数

| | | | | |
|--------|---------------------|-------|-------|-------------|
| 尺寸 | d | 35 | mm | - |
| | D | 72 | mm | - |
| | B | 23 | mm | - |
| | B ₃ | 4.5 | mm | - |
| | D ₁ | 61 | mm | - |
| | D _{a max} | 65 | mm | - |
| | d ₁ | 48 | mm | - |
| | d _{a max} | 43 | mm | - |
| | d _{a min} | 39 | mm | - |
| | d _{c min} | 50 | mm | - |
| | F | 44 | mm | - |
| | r _{1 min} | 0.6 | mm | - |
| | r _{a max} | 1 | mm | - |
| | r _{a1 max} | 0.6 | mm | - |
| | r _{min} | 1.1 | mm | - |
| | s | 0 | mm | 距离中心位置的轴向偏移 |
| | 重量 | m | 427 | g |
| 基本额定载荷 | C _r | 73000 | N | 基本额定动载荷, 径向 |
| | C _{0r} | 65000 | N | 基本额定静载荷, 径向 |
| 极限转速 | n _G | 12300 | r/min | 极限转速 |
| 参考转速 | n _B | 7400 | r/min | 参考速度 |
| 疲劳极限载荷 | C _{ur} | 10500 | N | 疲劳极限载荷, 径向 |

FAG NUP2207-E-TVP2图片



参考资料:<http://www.sozhou.com/p/58297333.html>

