



NSK FCRE-85参数

|         |      |         |       |        |
|---------|------|---------|-------|--------|
| 型号      | 型号   | FCRE-85 |       | -      |
| 外形尺寸    | D    | 85      | mm    | 外径     |
|         | C    | 35      | mm    | 宽度     |
|         | SD   | 30      | mm    | 外径     |
| 尺寸      | G    | M30x1.5 | mm    | 螺栓     |
|         | G1   | 32      | mm    | -      |
|         | B1   | 100     | mm    | -      |
|         | B2   | 63.0    | mm    | -      |
|         | B3   | 15      | mm    | -      |
|         | M2   | 4       | mm    | -      |
|         | M1   | 8       | mm    | -      |
|         | R    | 1.0     | mm    | (最小)   |
| 基本额定载荷  | CR   | 60500   | N     | 动载荷    |
| 极限载荷    | PMAX | 61000   | N     | 极限载荷   |
| 滚轮极限载荷  | LTL  | 55500   | N     | 滚轮极限载荷 |
| 重量      | MASS | 1750    | g     | 重量     |
| 六角形孔的尺寸 | X    | 0.0     | mm    | 双边距离   |
| 偏心轴衬尺寸  | B4   | 31.0    | mm    | -      |
|         | SD1  | 40      | mm    | -      |
|         | E    | 1.5     | mm    | -      |
| 挡肩尺寸    | F    | 52.0    | mm    | (最小)   |
| 拧紧力矩    | TT   | 30500   | n. cm | (最大)   |

NSK FCRE-85图片





FCRE

参考资料:<http://www.sozhou.com/p/64cdd984.html>

