



FAG NJ204-E-TVP2 + HJ204-E参数

重量	m_1	11	g	质量, L 型圈
基本额定载荷	C_r	32500	N	基本额定动载荷, 径向
	C_{0r}	24700	N	基本额定静载荷, 径向
极限转速	n_G	19200	r/min	极限转速
参考转速	n_B	13100	r/min	参考速度
疲劳极限载荷	C_{ur}	3900	N	疲劳极限载荷, 径向
尺寸	d	20	mm	-
	D	47	mm	-
	B	14	mm	-
	B_1	3	mm	-
	B_2	5.5	mm	-
	D_1	38.8	mm	-
	$D_{a \max}$	41	mm	-
	d_1	29.7	mm	-
	$d_{a \max}$	26	mm	-
	$d_{a \min}$	24	mm	-
	$d_{c \min}$	32	mm	-
	E	41.5	mm	-
	F	26.5	mm	-
	$r_{1 \min}$	0.6	mm	-
	$r_{a \max}$	1	mm	-
	$r_{al \max}$	1	mm	-
	r_{\min}	1	mm	-
	s	1	mm	距离中心位置的轴向偏移
说明		HJ204-E		型号, L 型圈
重量	m	117	g	质量

FAG NJ204-E-TVP2 + HJ204-E图片



参考资料:<http://www.sozhou.com/p/931c2d82.html>

