

FAG NU234-E-M1 参数

| | | | | |
|--------|---------------|----------|-------|-------------|
| 重量 | m | 18100 | g | 质量 |
| 基本额定载荷 | C_r | 700000 | N | 基本额定动载荷，径向 |
| | C_{0r} | 780000 | N | 基本额定静载荷，径向 |
| 极限转速 | n_G | 3350 | r/min | 极限转速 |
| 参考转速 | n_B | 2010 | r/min | 参考速度 |
| 尺寸 | d | 170 | mm | - |
| | D | 310 | mm | - |
| | B | 52 | mm | - |
| | D_1 | 268.5 | mm | - |
| | $D_{a \max}$ | 293 | mm | - |
| | $d_{a \max}$ | 204 | mm | - |
| | $d_{a \min}$ | 187 | mm | - |
| | $d_{b \min}$ | 211 | mm | - |
| | E | 279 | mm | - |
| | F | 207 | mm | - |
| | $r_{1 \min}$ | 4 | mm | - |
| | $r_{a \max}$ | 3 | mm | - |
| | $r_{a1 \max}$ | 3 | mm | - |
| | r_{\min} | 4 | mm | - |
| | s | 4.3 | mm | 距离中心位置的轴向偏移 |
| | 疲劳极限载荷 | C_{ur} | 98000 | N |

FAG NU234-E-M1 图片



参考资料:<http://www.sozhou.com/p/9a843c8e.html>

