

NSK 52310参数

尺寸	SB	11.0	mm	-	
	A1	23.0	mm	-	
	R	72	mm	-	
安装尺寸	DA	72	mm	(最大)	
	SRA	1.0	mm	(最大)	
	SRB	0.6	mm	(最大)	
重量	MASS	1780	g	重量	
型号	型号	52310		-	
外形尺寸	SD2	40	mm	内径	
	SD	50	mm	外径	
	D	95	mm	宽度	
	T1	58	mm	-	
	T5	64.6	mm	-	
	T7	70	mm	-	
	SR	1.1	mm	(最小)	
	SR1	0.6	mm	(最小)	
	基本额定载荷	CAN	97500	N	动载荷
		COAN	202000	N	静载荷
CA		9950	kgf	动载荷	
COA		20600	kgf	静载荷	
极限转速	GRE	1700	1/min	脂润滑	
	OIL	2600	1/min	油润滑	
尺寸	SD3	95.0	mm	-	
	D1	52	mm	-	
	D2	72	mm	-	
	D3	100	mm	-	
	T2	36.0	mm	-	
	T6	39.3	mm	-	
	T8	42.0	mm	-	
	B	14	mm	-	

NSK 52310图片



参考资料:<http://www.sozhou.com/p/a0cee93d.html>

