


FAG NJ2238-E-M1 + HJ2238-E参数

尺寸	s	8	mm	距离中心位置的轴向偏移
说明		HJ2238-E		型号, L 型圈
重量	m	37700	g	质量
	m ₁	2310	g	质量, L 型圈
基本额定载荷	C _r	1090000	N	基本额定动载荷, 径向
	C _{0r}	1650000	N	基本额定静载荷, 径向
极限转速	n _G	3000	r/min	极限转速
参考转速	n _B	1310	r/min	参考速度
疲劳极限载荷	C _{ur}	201000	N	疲劳极限载荷, 径向
尺寸	d	190	mm	-
	D	340	mm	-
	B	92	mm	-
	B ₁	13	mm	-
	B ₂	26.5	mm	-
	D ₁	296.4	mm	-
	D _{a max}	323	mm	-
	d ₁	242.7	mm	-
	d _{a max}	227	mm	-
	d _{a min}	207	mm	-
	d _{c min}	247	mm	-
	E	308	mm	-
	F	228	mm	-
	r _{1 min}	4	mm	-
	r _{a max}	3	mm	-
	r _{al max}	3	mm	-
r _{min}	4	mm	-	

FAG NJ2238-E-M1 + HJ2238-E图片



参考资料:<http://www.sozhou.com/p/b3267075.html>

