

### FAG 22311-E1-K-T41A参数

尺寸	d	55	mm	-
	D	120	mm	-
	B	43	mm	-
	D <sub>1</sub>	101.4	mm	-
	D <sub>a max</sub>	109	mm	-
	d <sub>2</sub>	68.9	mm	-
	d <sub>a min</sub>	66	mm	-
基本额定载荷	C <sub>r</sub>	265000	N	基本额定动载荷，径向
计算系数	e	0.36		-
	Y <sub>1</sub>	1.89		-
	Y <sub>2</sub>	2.81		-
基本额定载荷	C <sub>0r</sub>	260000	N	基本额定静载荷，径向
计算系数	Y <sub>0</sub>	1.84		-
极限转速	n <sub>G</sub>	5800	r/min	极限转速
参考转速	n <sub>B</sub>	4650	r/min	参考速度
疲劳极限载荷	C <sub>ur</sub>	23900	N	疲劳极限载荷，径向
尺寸	d <sub>s</sub>	3.2	mm	-
	n <sub>s</sub>	6.5	mm	-
	r <sub>a max</sub>	2	mm	-
	r <sub>min</sub>	2	mm	-
重量	m	2220	g	质量

### FAG 22311-E1-K-T41A图片



参考资料:<http://www.sozhou.com/p/c1e29e16.html>