



FAG NJ2332-E-M1 + HJ2332-E参数

尺寸	d	160	mm	-	
	D	340	mm	-	
	B	114	mm	-	
	B ₁	15	mm	-	
	B ₂	32	mm	-	
	D ₁	286	mm	-	
	D _{a max}	323	mm	-	
	d ₁	221.6	mm	-	
	d _{a max}	200	mm	-	
	d _{a min}	177	mm	-	
	d _{c min}	228	mm	-	
	E	300	mm	-	
	F	204	mm	-	
	r _{1 min}	4	mm	-	
	r _{a max}	3	mm	-	
	r _{al max}	3	mm	-	
	r _{min}	4	mm	-	
	s	9.9	mm	距离中心位置的轴向偏移	
	说明		HJ2332-E		型号, L 型圈
	重量	m	52300	g	质量
m ₁		2850	g	质量, L 型圈	
基本额定载荷	C _r	1320000	N	基本额定动载荷, 径向	
	C _{0r}	1820000	N	基本额定静载荷, 径向	
极限转速	n _G	3000	r/min	极限转速	
参考转速	n _B	1350	r/min	参考速度	
疲劳极限载荷	C _{ur}	226000	N	疲劳极限载荷, 径向	

FAG NJ2332-E-M1 + HJ2332-E图片



参考资料:<http://www.sozhou.com/p/d92a1819.html>

