



FAG NJ328-E-TVP2 + HJ328-E参数

尺寸	d	140	mm	-	
	D	300	mm	-	
	B	62	mm	-	
	B ₁	15	mm	-	
	B ₂	25	mm	-	
	D ₁	251.7	mm	-	
	D _{a max}	283	mm	-	
	d ₁	195.4	mm	-	
	d _{a max}	176	mm	-	
	d _{a min}	157	mm	-	
	d _{c min}	198	mm	-	
	E	264	mm	-	
	F	180	mm	-	
	r _{1 min}	4	mm	-	
	r _{a max}	3	mm	-	
	r _{al max}	3	mm	-	
	r _{min}	4	mm	-	
	s	5.2	mm	距离中心位置的轴向偏移	
	说明		HJ328-E		型号, L 型圈
	重量	m	20500	g	质量
m ₁		2030	g	质量, L 型圈	
基本额定载荷	C _r	790000	N	基本额定动载荷, 径向	
	C _{0r}	800000	N	基本额定静载荷, 径向	
极限转速	n _G	2650	r/min	极限转速	
参考转速	n _B	2200	r/min	参考速度	
疲劳极限载荷	C _{ur}	124000	N	疲劳极限载荷, 径向	

FAG NJ328-E-TVP2 + HJ328-E图片



参考资料:<http://www.sozhou.com/p/e07ec5ec.html>

